Kansas Department on Aging

	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE SUF	
7.1.12 . 2.1.1		is a remarkable in the second of the second	A. BUILDING: _			
		N089030	B. WING		06/23/	/2015
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE		
ATRIA HEARTHSTONE WEST 3515 SW 6 TOPEKA, I						
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)) BE	(X5) COMPLETE DATE
S 000	INITIAL COMMENTS	}	S 000			
	Living Facility in Tope 6/18/15, 6/22/15, and	s are the result of a at the above named Assisted eka, Kansas on 6/17/15, I 6/23/15. Complaint #86148 ended 2567 mailed to facility				
	26-41-201 (d) Function Accurate	onal Capacity Screen	S3082			
	resident 's functional	staff shall ensure that each capacity at the time of sly reflected on that resident '				
	This REQUIREMENT is not met as evidenced by: KAR 26-41-201(d)					
	three Residents. Base reviews of records, for (#187 and #189) the designated facility sta	or two of three sampled Operator failed to ensure aff completed a functional by that accurately reflected				
	Findings included:					
	facility 02/07/11 with of Hypothyroidism, Vertic Chronic obstructive p Dementia. The current 4/29/15 F of physical assistance toileting, transfers; un	evealed #187 admitted to diagnoses of igo, Asthma, Bronchitis, ulmonary disease, and FCS assessed #187 in need with bathing, dressing, nable to perform mobility, ment management. The				

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

STATEMENT	T OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE SURVE	
			A. BUILDING: _			
		N089030	B. WING		06/23/20)15
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE		
ATRIA HE	ARTHSTONE WEST	3515 SW 6				
		<u> </u>	KS 66606			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIC (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)	BE CC	(X5) OMPLETE DATE
S3082	Continued From page	e 1	S3082			
	cognition section con "29". This code failed required numbering s described in the instru Cognition" consists of filled with a "1" if appl from zero to four. By interview on 6/17, nurse #H stated initial verbally to complete the people took me throu May 2015 I was hand that I was adding up a sections (A., B., C.) a up with the number 2 he/she now had the F	tained a number value of to correspond with the				
	The Operator failed to ensure designated facility staff completed an FCS that accurately reflected #187's functional capacity.					
	facility 6/25/14 with di Cerebella ataxia, Cor Dementia. The current 3/01/15 F of supervision with ba treatment manageme contained a number v failed to correspond v system of the form as manual. Section "D. O boxes, each box to be	FCS assessed #189 in need athing, medication and ent. The cognition section value of "17". This code with the required numbering is described in the instruction Cognition" consists of four e filled with a "1" if e to result from zero to four.				

	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SI	
AND PLAN (OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING: _		COMPLE	ETED
					l c	:
		N089030	B. WING		1	3/2015
NAME OF P	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE		
ATRIA HE	ARTHSTONE WEST	3515 SW 6				
		TOPEKA, P	KS 66606			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETE DATE
S3082	Continued From page	e 2	S3082			
	B. Long Term Memory. C. Memory/Recall - "2" D. Decision-Making - On 6/17/15 at 4:00pm #G confirmed the coordinated this form complicensed Nurse #J be 2015 stated he/she the FCS manual to lict these assessments. The Operator failed to	y - "5" 4" "3" n, Resident Service Director ling of this FCS inaccurate bleted by another nurse, efore I started in May of had now provided copies of bensed nurses who complete o ensure designated facility's CS that accurately reflected				
S3171 SS=E	26-41-204 (i) Health (Care Services Standards of	S3171			
	residents by qualified acceptable standards	vices shall be provided to staff in accordance with s of practice.				
	three Residents. Base and interviews, for on with physician orders results, the Operator care services, including	31 the sample included ed on reviews of records be of one sampled (#185) to report blood glucose test failed to ensure all healthing interventions for blood by qualified staff in eptable standards of				

	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE SU	
			A. BUILDING: _			
		N089030	B. WING		06/23	3/2015
NAME OF P	ROVIDER OR SUPPLIER		RESS, CITY, STA	TE, ZIP CODE		
ATRIA HE	ARTHSTONE WEST	3515 SW 67 TOPEKA, K				
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES BY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE	(X5) COMPLETE DATE
S3171	facility 7/29/14 with didisease, Parkinson's, type II, and Hypothyro. The current 6/01/15 fr (FCS) assessed #185 assistance with dress treatment manageme with mobility; with fall impaired decision ma. The current 6/01/15 magreement (NSA) doost aff reminders and a medication administrate facility staff. By observation on 6/17 Resident's room note counter near kitchen is by interview on 6/17/1 they give me my insu sugar By review, the medica 8/20/14 physician's on times daily; and an 0 notification if Residen levels <60 or >300 wifax all glucose reading the endocrinologist of business day. The medical record later the surface of the surf	evealed #185 admitted to iagnoses of Chronic kidney, Hypertension, Diabetes oidism. Functional capacity screen in need of physical sing, medication and ent; in need of supervision sylunsteadiness; and with aking. Interpretation of supervision is the service cumented #185 to receive is sistance with dressing; ation and assistance by	S3171			
	elevated blood sugar 5/02/15 - morning 316 5/03/15 - noon no res					

	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE A. BUILDING: _	CONSTRUCTION	(X3) DATE SURVEY COMPLETED
		N089030	B. WING		C 06/23/2015
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STAT	TE, ZIP CODE	
ATRIA HE	ARTHSTONE WEST		KS 66606		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)	BE COMPLETE
S3171	results documented 5/10/15 - noon 337; e 5/13/15 - evening 303 6/16/15 - fasting 300; On 6/17/15 at 12:40p Director #G reviewed confirmed no evidence available of physician parameter results s documentation and at the Nurses' Notes for blood sugar results The Operator failed to services for #185, inc blood sugar test results	9; night 381 1; noon, evening, night no vening 389 3; night 401 night 361 m, Resident Service medical record and	S3171		
S3175 SS=E	licensed nurse or pha member or friend pro- gratuitously, if a licen- assessment and dete perform this function s without staff assistant (1) An assessment sh	n of medication. Any ninister and manage dently or by using a or syringe prefilled by a rmacist or by a family viding this service sed nurse has performed an rmined that the resident can safely and accurately be. nall be completed before the s self-administration of	S3175		

STATEMENT	F OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` ′	CONSTRUCTION	(X3) DATE S COMPLE	
		N089030	B. WING		06/2) 3/2015
NAME OF PI	ROVIDER OR SUPPLIER	STREET ADD	DRESS, CITY, STA	TE, ZIP CODE		
ATRIA HE	ARTHSTONE WEST	3515 SW 6 TOPEKA, P				
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE	(X5) COMPLETE DATE
S3175	Continued From page	= 5	S3175			
	significant change of	condition, and annually.				
	This REQUIREMENT by: KAR 26-41-205(a)(1)	「 is not met as evidenced				
	The facility census equalled 31. The sample included three Residents. The facility identified six Residents with self administered medications and the remaining 25 Residents with facility managed medications. Based on observations, interviews, and reviews of records: For one of one sampled who self administered medications (#185), the Operator failed to ensure a licensed nurse performed an assessment of the Resident's ability to safely and accurately self administer medications.					
	facility 7/29/14 with di	evealed #185 admitted to iagnoses of Chronic kidney , Hypertension, Diabetes oidism.				
	The current 6/01/15 ft (FCS) assessed #185 assistance with media management.					
		negotiated service cumented #185 to receive ation and assistance by				

Kansas Department on Aging						
	FOF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE :	
		N089030	B. WING			C 23/2015
NAME OF P	ROVIDER OR SUPPLIER	STREET AI	DDRESS, CITY, STA	TE, ZIP CODE		
	ATRIA HEARTHSTONE WEST 3515 SW					
AI RIA HE	ARTHSTONE WEST	ТОРЕКА	, KS 66606			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPI DEFICIENCY)	OULD BE	(X5) COMPLETE DATE
S3175	Continued From page	e 6	S3175			
	next to #185's recline Mucinex, Tylenol, Ant Saline Spray. By interview on 6/17/take my own OTC's (medications the stamedications I used own family sat them	tiple containers of ed on a small bedside table er. Medications included: tacid, Famotidine, and Nasal 15 at 1:00pm, #185 stated I over the counter)				
	By review, the medical administration assessinclude a description medication administration of selemon self administration of selemon self administration admission of #185 7/2 available of recent proselect medications, a of Resident self administration administering medical previously administer Resident, family, facil	ect medications confirmed a assessment in record since 29/14 no assessment actice of self administering nd no assessment available nistering all medications. 15 at 12:45pm, Operator and ector #G stated not aware in room and was self ations stated #185 and all medications				
	The Operator failed to	cility manage medications o ensure a licensed nurse ninistration assessment for elf administering				

	of periodical	Lava province volumente sour	0/0) 1/1/1/7/10/5	CONTRUCTION	Taxas BATE 6	
	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	CONSTRUCTION		
ANDILAN	or connection	IDENTI IOATION NOMBER.	A. BUILDING: _		OOWII EI	LILD
		N089030	B. WING		1	
					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE		
ΔΤΡΙΔ ΗΕ	ARTHSTONE WEST	3515 SW (STH AVE			
, (11(1) (11)	ALTHOROUGH WEST	TOPEKA,	KS 66606			
(X4) ID		ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION		(X5)
PREFIX		Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	PREFIX	(EACH CORRECTIVE ACTION SHOULD		COMPLETE DATE
TAG	REGULATORT OR I	LSC IDENTIFTING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	ON SHOULD BE HE APPROPRIATE	DAIL
S3280	Continued From page	e 7	S3280			
					COMPL (0 06/2	
	26-41-104 (d) Disaste	er and Emergency	S3280			
SS=F	Preparedness					
	(d) F b d - c					
	* *	or or operator shall ensure				
	disaster and emerger					
	ensuring the performa					
	` '	v employees at the time of				
	employment to the fa	cility s'emergency				
	management plan;	agab rasidant unan				
		each resident upon ity regarding emergency				
		ity regarding emergency				
	procedures;	f the facility! a emergency				
		If the facility 's emergency th employees and residents;				
	•	in employees and residents,				
	and	II which shall be conducted				
		II, which shall be conducted				
	•	staff and residents. This cuation of the residents to a				
	secure location.	cuation of the residents to a				
	secure location.					
	This DEOLUDEMENT	is not met as evidenced				
	by:	is not met as evidenced				
	KAR 26-41-104(d)					
	10 (11 20 +1 10+(u)					
	The facility census ed	qualled 31 the sample				
		ents. The facility identified 44				
		te the last Resurvey. Based				
	on interviews and rev					
	Operator:	ions of records, the				
	Failed to ensure disa	ster and emergency				
		ducting quarterly reviews of				
		cy management plan with				
	employees and Resid					
	omployees and resid	20				
	Findings included:					
	- On 6/17/15 at 11:00	Dam and at 5:45pm.				

	T OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE A. BUILDING:	CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
		N089030	B. WING		C 06/23/201	_
NAME OF P	ROVIDER OR SUPPLIER		DDRESS, CITY, STAT	E ZIP CODE	06/23/201	5
		3515 SW		L, ZII GODL		
ATRIA HE	ARTHSTONE WEST	TOPEKA	KS 66606			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL) CROSS-REFERENCED TO THE APPROF DEFICIENCY)	D BE CON	(X5) MPLETE DATE
S3280	unable to locate docureviews completed ar completion of routine drill with the city, and but unable to locate of the quarterly disaster On 6/18/15 at 3:45pm Service Director confidocumentation of the Operator and Resider started positions at the stated will implement and documentation of the Operator failed to facility's emergency in	mance Director confirmed mentation of disaster plan and attendance confirmed fire drills, annual tornado annual evacuation drills curriculum or attendances for reviews. In Operator and Resident rmed still unable to find ese quarterly reviews Int Service Director each is facility in May 2015 a system for completion	S3280			